## N-Cadherin(CD325) Antibody

Catalog No: #21474

Package Size: #21474-1 50ul #21474-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


| D | es | SCI | rip | otio | or | 1 |
|---|----|-----|-----|------|----|---|
|   |    |     |     |      |    |   |

| Product Name          | N-Cadherin(CD325) Antibody  |
|-----------------------|---|
| Host Species          | Rabbit  |
| Clonality             | Polyclonal  |
| Purification          | Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were |
|                       | purified by affinity-chromatography using epitope-specific peptide.                                       |
| Applications          | WB  |
| Species Reactivity    | Hu Ms Rt  |
| Specificity           | The antibody detects endogenous level of total N-Cadherin protein.  |
| Immunogen Type        | Peptide-KLH   |
| Immunogen Description | Peptide sequence around aa.800~804(A-I-K-P-V) derived from Human N-Cadherin.                              |
| Target Name           | N-Cadherin(CD325)   |
| Other Names           | CDH2; CDCN; NCAD  |
| Accession No.         | Swiss-Prot: P19022NCBI Protein: NP_001783.2   |
| Uniprot               | P19022  |
| GeneID                | 1000;   |
| Concentration         | 1.0mg/ml  |
| Formulation           | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%      |
|                       | sodium azide and 50% glycerol.  |
| Storage               | Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.                 |
|                       |   |

## **Application Details**

Predicted MW: 140kd
Western blotting: 1:500

## **Images**



Western blot analysis of extract from HT29 cells using N-Cadherin(CD325) Antibody #21474

## Background

Cadherins are calcium dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types. CDH2 may be involved in neuronal recognition mechanism. In hippocampal neurons, may regulate dendritic spine density

Bhatt A.S. et.al(2005)Oncogene 24:5333-5343

Salomon D.et.al(1992)J. Cell Sci. 102:7-17

The MGC Project Team(2004)Genome Res. 14:2121-2127

Note: This product is for in vitro research use only